

## 4. 脳梗塞慢性期

4-9. 慢性期経皮的血管形成術/  
ステント留置術(頸部頸動脈以外)

## 推 奨

頸部内頸動脈以外の頭蓋外および頭蓋内動脈狭窄症に対して、血管形成術/ステント留置術を行うには、十分な科学的根拠はない(グレードC1)。

## ●エビデンス

頸部内頸動脈以外の頭蓋外および頭蓋内動脈狭窄症に対する血管形成術やステント留置術についての報告は症例集積研究のエビデンスレベルにとどまっており、勧告を行うための十分な資料がない(III)。

## 引用文献

- 1) Bose A, Hartmann M, Henkes H, Liu HM, Teng MM, Szikora I, et al. A novel, self-expanding, nitinol stent in medically refractory intracranial atherosclerotic stenoses : the Wingspan study. Stroke 2007 ; 38 : 1531-1537
- 2) Albuquerque FC, Fiorella D, Han P, Spetzler RF, McDougall CG. A reappraisal of angioplasty and stenting for the treatment of vertebral origin stenosis. Neurosurgery 2003 ; 53 : 607-616
- 3) Yu W, Smith WS, Singh V, Ko NU, Cullen SP, Dowd CF, et al. Long-term outcome of endovascular stenting for symptomatic basilar artery stenosis. Neurology 2005 ; 64 : 1055-1057
- 4) Marks MP, Marcellus ML, Do HM, Schraedley-Desmond PK, Steinberg GK, Tong DC, et al. Intracranial angioplasty without stenting for symptomatic atherosclerotic stenosis : long-term follow-up. AJNR Am J Neuroradiol 2005 ; 26 : 525-530
- 5) Chow MM, Masaryk TJ, Woo HH, Mayberg MR, Rasmussen PA. Stent-assisted angioplasty of intracranial vertebrobasilar atherosclerosis : midterm analysis of clinical and radiologic predictors of neurological morbidity and mortality. AJNR Am J Neuroradiol 2005 ; 26 : 869-874
- 6) Stenting of Symptomatic Atherosclerotic Lesions in the Vertebral or Intracranial Arteries (SSYLVA) : study results. Stroke 2004 ; 35 : 1388-1392
- 7) Lee JH, Kwon SU, Lee JH, Suh DC, Kim JS. Percutaneous transluminal angioplasty for symptomatic middle cerebral artery stenosis : long-term follow-up. Cerebrovasc Dis 2003 ; 15 : 90-97
- 8) Brontzos EN, Petersen B, Binkert C, Panagiotou I, Kaufman JA. Primary stenting of subclavian and innominate artery occlusive disease : a single center's experience. Cardiovasc Intervent Radiol 2004 ; 27 : 616-623